

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

W

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,610	05/11/2005	Torsten Mueller	MITS124873	6532
26389 7590 04/20/2007 CHRISTENSEN, O'CONNOR, JOHNSON, KINDNESS, PLLC 1420 FIFTH AVENUE SUITE 2800 SEATTLE, WA 98101-2347			EXAMINER	
			LEVI, DAMEON E	
			ART UNIT	PAPER NUMBER
SEATTEE, W.	A 70101-2547		2841	<u> </u>
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVER	Y MODE
	ONTHS	04/20/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)					
•	10/534,610	MUELLER ET AL.					
Office Action Summary	Examiner	Art Unit					
	Dameon E. Levi	2841					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period was a failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 10/23/2006(Restriction Election).							
,	☐ This action is FINAL. 2b) ☑ This action is non-final.						
·—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <del>1 20</del> is/are pending in the application.							
4) Claim(s) $\frac{4-30}{2}$ is/are pending in the application.  4a) Of the above claim(s) $\frac{4-18}{2}$ is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>19-30</u> is/are rejected.							
7) Claim(s) is/are objected to.	•						
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) ☐ The specification is objected to by the Examine	r.	•					
10)⊠ The drawing(s) filed on <u>11 May 2005</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
		•					
Attachment(s)  1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date						
3) X Information Disclosure Statement(s) (PTO/SB/08)	· · · · · · · · · · · · · · · · · · ·						
Paper No(s)/Mail Date <u>08/18/2005, 08/26/2005</u> . 6)  Other:							

Application/Control Number: 10/534,610

Art Unit: 2841

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 19-30 are rejected under 35 U.S.C. 102(b) as being anticipated by Porter US Patent 5808866.

Regarding claim 19, Porter discloses an assembly comprising:

plug-in measuring-device modules (elements 31, Figs 1A-5), which are connected via a plug-and-socket panel (elements 24, Figs 1A-5) to an information-output device (Fig 5) at a front side of the measuring device , wherein the measuring-device modules (elements 31, Figs 1A-5) can be plugged in from a rear side facing away from the information-output device, characterized in that a recess (Figs 1A-5) is provided in the front side of the measuring device, through which an electrical connection (elements 32, Figs 1A-5), at least for a part of the plugged-in measuring-device modules is accessible.

Regarding claim 20, Porter discloses characterized in that at least a part of the measuring-device module provides electrical contacts (elements 30, Figs 1A-5), which are accessible from the rear side of the measuring device.

Regarding claim 21, Porter discloses characterized in that for each measuring-device module to be accommodated, at least one guide component (elements 29, Figs 1A-5)for

Application/Control Number: 10/534,610

Art Unit: 2841

the guidance of the measuring-device modules is provided, wherein the at least one guide component provides a resilient, deformable guide element for the resilient mounting of the measuring-device module. Regarding claim 22, Porter discloses characterized in that the guide components (elements 29, Figs 1A-5) for adjacent measuring-device modules are spaced at a distance such that a cooling-air gap is formed between adjacent measuring-device modules.

Regarding claim 23, Porter discloses characterized in that the resilient, deformable guide elements are formed by resilient tongues (14) arranged in a row(elements 29, Figs 1A-5).

Regarding claim 24, Porter discloses characterized in that the plug-and-socket panel (elements 24, Figs 1A-5) is mounted in such a manner that it can be displaced within a receiving device (elements 11, Figs 1A-5) in at least one plane perpendicular to the direction of insertion of the measuring-device modules.

Regarding claim 25, Porter discloses characterized in that, in order to retain the measuring-device modules, a rear cover (elements 39, Figs 1A-5) is provided for the measuring-device housing, which cover has at least one recess (elements 41, Figs 1A-5), through which connections of the measuring-device modules orientated towards the rear of the housing are accessible.

Regarding claim 26, Porter discloses characterized in that insertion elements (elements 34, Figs 1A-5)can be inserted into the cover of the measuring device housing in order to cover the cooling-air gaps between the measuring-device modules and/or blank elements.

Application/Control Number: 10/534,610

Art Unit: 2841

Regarding claim 27, Porter discloses characterized in that each measuring-device module (elements 31, Figs 1A-5) is formed as a functional unit, and that data can be transferred via a bus system either between various measuring-device modules or to the information-output device.

Regarding claim 28, Porter discloses characterized in that the information-output device is designed as an input/output device(Fig 5).

Regarding claim 29, Porter discloses characterized in that at least one measuringdevice module (elements 31, Figs 1A-5) is designed as a computer module for controlling data transfer via the bus system.

Regarding claim 30, Porter discloses characterized in that a plug-in power pack (elements 35, Figs 1A-5) is provided, which is also connected to the plug-and-socket panel (elements 24, Figs 1A-5) via an electrical plug-connection, wherein the power supply to the measuring-device modules is provided via the bus system.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dameon E. Levi whose telephone number is (571) 272-2105. The examiner can normally be reached on Mon.-Thurs. (9:00 - 5:00) IFP, Fridays Telework.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/534,610 Page 5

Art Unit: 2841

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Dameon E Levi Examiner Art Unit 2841

DEL

supervisory patent **examine**r

TECHNOLOGY CENTER 2800